

Product Book



Actual colors may differ from those shown due to the printing process.

Check Model Home samples for actual colors.

Table of Contents

Exterior Doors & Windows



| Exterior | Doors & Windows | | Cabinetry | | |
|-------------------------------|---------------------------------|---------------------|---------------|-------------------------------|------------|
| Entry | y Doors | <u>4</u> | Standard | Overlay vs. Full Overlay | <u>91</u> |
| Entry | / Locks | <u>12</u> | Door Style | es | <u>92</u> |
| Patio | Doors | <u>18</u> | Wood Cha | aracteristics | <u>103</u> |
| Ande | ersen 200 Series | <u>28</u> | Stain Sele | ctions | <u>104</u> |
| Ande | ersen 400 Series | <u>33</u> | Paint Sele | ctions | <u>112</u> |
| Silve | rline Series | <u>30</u> | Glass & M | Iullion Options | <u>114</u> |
| Interior Doors, Trim & Stairs | | | KCMA - Q | uality & Environmental Impact | <u>119</u> |
| Inter | ior Doors | <u>35</u> | Cabinet O | ptions | <u>121</u> |
| Inter | ior Door Looks & Hardware | <u>40</u> | Cabinet K | nobs & Pulls | <u>124</u> |
| Barn | Door | <u>45</u> | Tile Backs | plash Option | <u>127</u> |
| Inter | ior Trim | <u>46</u> | Kitchen Plun | nbing | |
| Crow | ın & Chair Rail | <u>69</u> | Kitchen Fa | aucets | <u>129</u> |
| Bullr | ose Option | <u>70</u> | Kitchen Si | nk Strainers | <u>136</u> |
| Case | d Openings | <u>71</u> | Kitchen Cour | ntertops with Sink Options | |
| Stain | Selections | <u>49</u> | Formica S | inks | <u>137</u> |
| Stair | Railings | <u>50</u> | Formica T | ops | <u>142</u> |
| Flooring | | | Solid Surfa | ace Sinks | <u>150</u> |
| Carp | et | 52 | Solid Surfa | ace Tops | <u>151</u> |
| - | Floor Tile | | Granite 8 | Quartz Sinks | <u>156</u> |
| • | Floor Plank | | Granite To | pps | <u>160</u> |
| Interior Paint | | | Quartz To | ps | <u>162</u> |
| Closet Shelving | | | Kitchen Light | ting & Appliances | |
| Electrical & Lighting | | | LED Unde | rcabinet Lights | <u>167</u> |
| | ng | 73 | Island Per | ndants | <u>168</u> |
| | Lighting | | Undercab | inet Range Hoods | <u>171</u> |
| | oom Lighting | | Vent Hood | ds | <u>173</u> |
| | g/Entry Lighting | | Microwav | e with Vent | <u>175</u> |
| | //Dining Lighting | | Dishwash | ers | 476 |
| · | Sconces | 75 87 | Disnosals | | <u>176</u> |
| | rical Panel | | | | <u>177</u> |
| | | | Ice-Maker | · Hook-Up | 178 |
| USB | Charging & Communication Outlet | <u> 30</u> | | • | |

Table of Contents



| Bathroom Vanities | Tubs & Showers | | |
|---------------------------------------|--|--|--|
| Vanity Sinks for Formica 179 | Tub & Shower 223 | | |
| Vanity Sinks with Integrated Sink for | Bathtubs <u>228</u> | | |
| Solid Surface <u>183</u> | Stand-Alone Shower with Semi-Frameless | | |
| Vanity Sinks for Granite & Quartz 184 | Door | | |
| Marble Top with Integrated Sink 185 | Shower with Hinged Shower Door 247 | | |
| Lavatory Faucets <u>187</u> | Walk-in Shower Package 251 | | |
| Vanity Lights 212 | Walk-in Shower Trim 254 | | |
| Vanity Mirrors 217 | Walk-in Shower Tile 259 | | |
| Bath Fans 219 | Corner Shelves 262 | | |
| Bath Accessories | Tile Edge Trim <u>263</u> | | |
| Bathroom Plumbing | Utility Room | | |
| • | Water Heater 277 | | |
| Pedestal Sink | Utility Tub & Faucet 278 | | |
| Tub & Shower Trim <u>192</u> | Exterior | | |
| Shower Trim | Vinyl Lap Siding .42 280 | | |
| Handheld Shower 206 | Vinyl Lap Siding .44 <u>282</u> | | |
| Roman Tub Trim <u>207</u> | Vinyl Shakes in Gable 290 | | |
| Toilets | Window Lineals 281 | | |
| | Shutters | | |
| | Shingles <u>28</u> 4 | | |
| | Exterior Lights | | |
| | Dormers | | |
| | Product Manufacturers 295 | | |





ENTRY DOORS

Standard



BELLEVILLE 6-PANEL SMOOTH FIBERGLASS

BLS-6P





ENTRY DOORS



BELLEVILLE 6-PANEL SMOOTH FIBERGLASS BLS-6P with Single Sidelite BLS-129-03E-1



BELLEVILLE 6-PANEL SMOOTH FIBERGLASSBLS-6P with Double Sidelite
BLS-129-03E-1





Belleville Smooth Fiberglass Clear Glass / External Grilles



HALF LITE 2-PANEL BLS-106-010-2 with Single Sidelite BLS-129-03E-1



HALF LITE 2-PANEL BLS-106-010-2 with Double Sidelite BLS-129-03E-1



9-LITE 2-PANEL BLS-106-09E-2 with Double Sidelite BLS-129-03E-1



HALF LITE 2-PANEL BLS-106-010-2



9-LITE 2-PANEL BLS-106-09E-2 6







Belleville Smooth Fiberglass Clear Glass / External Grilles

Optional



FULL LITE BLS-122-010-X with Single Sidelite BLS-151-010-X



FULL LITE
BLS-122-010-X
with Double Sidelite
BLS-151-010-X



15-LITEBLS-122-015-X
with Double Sidelite
BLS-151-05E-X



FULL LITE BLS-122-010-X



15-LITEBLS-122-015-X



BLS-151-05E-X





Belleville & Heritage Smooth Fiberglass Clear Glass / External Grilles

Optional



FAN LITE 4-PANEL BLS-135-05E-4 with Single Sidelite BLS-129-03E-1



FAN LITE 4-PANEL BLS-135-05E-4 with Double Sidelite BLS-129-03E-1



CRAFTSMAN 3-LITE HGS-217-03E-2C with Double Sidelite HGS-617-010-1



FAN LITE 4-PANEL BLS-135-05E-4



CRAFTSMAN 3-LITE HGS-217-03E-2C ⁸



with Single Sidelite

HGS-617-010-1





GEORGIAN GLASS with Platinum Caming





1/2 LITE GEORGIAN 2-PANEL BLS-106-517-2



1/2 LITE GEORGIAN 2-PANEL BLS-106-517-2 with Single Sidelite BLS-129-517-1



1/2 LITE GEORGIAN 2-PANEL BLS-106-517-2 with Double Sidelite BLS-129-517-1





Belleville Smooth Fiberglass Georgian Glass, Platinum Caming

Optional



3.4 GEORGIAN 2-PANELBLS-404-517-2
with Single Sidelite
BLS-450-517-1



34 GEORGIAN OVAL 2-PANELBLS-304-517-3
with Single Sidelite
BLS-450-517-1



34 GEORGIAN 2-PANELBLS-404-517-2
with Double Sidelite
BLS-450-517-1



% GEORGIAN OVAL 2-PANEL BLS-304-517-3 with Double Sidelite

BLS-450-517-1



% GEORGIAN 2-PANEL BLS-404-517-2



34 GEORGIAN OVAL 2-PANEL10
BLS-304-517-3





20 MINUTE FIRE-RATED ENTRY DOORS



HD STEEL 6-PANELMHD-6P



STA-TRU HD STEEL CRAFTSMAN 3-PANELSHD-3P



HERITAGE FIBERGLASS
CRAFTSMAN 3-PANEL
HGS-3C



TUSTIN ENTRY LOCKS











SATIN NICKEL







VENETIAN BRONZE












CHELSEA ENTRY LOCK with Tustin Interior LeverOptional









HALIFAX ENTRY LOCKS









SATIN NICKEL







VENETIAN BRONZE







MATTE BLACK





VANCOUVER ENTRY LOCK with Halifax Interior Lever





SMARTKEY® RE-KEY **TECHNOLOGY**


THE LOCK YOU CAN RE-KEY IN SECONDS

Now you can re-key your locks, quickly & securely, without the extra hassle & cost of removing the lock from the door.

- Increase jobsite security
- Control jobsite keys
- Reduce callbacks / simple on site re-keying
- Homeowner peace of mind


































Bacteria can double every 20 minutes on unprotected surfaces, but Kwikset Door Hardware with Microban product protection works to continuously fight off microbes.



Benefits of Kwikset Door Hardware with Microban Technology

- Door hardware is 99.9% cleaner than knobs without Microban.
- The antimicrobial coating last for the lifetime of the hardware finish, so you can worry less and feel more secure in your home.
- No need to clean door hardware 24/7
 Antimicrobial protection.

Kwikset with Microban product protection is effective against a broad spectrum of bacteria.





200 SERIES PATIO DOORS WITH LOW-E GLASS PERMA-SHIELD GLIDING

Standard (with most plans)

200 Series Patio Doors

A tried and true classic, these doors are protected in and out with rigid vinyl cladding to give homes a contemporary look and energy-saving performance, while keeping maintenance to a minimum. *Interior color matches exterior finish.*

Smooth Operation

Dual ball-bearing rollers on door panels provide smooth gliding operation with self-contained leveling adjusters.

SmartSun™ Glass

Has the benefits of Low-E glass, plus it helps shield your home from the sun's heat and filters out 95% of harmful UV rays while letting sunlight shine through.



Color Selections







200 SERIES PATIO DOORS WITH LOW-E GLASS

Standard (with most plans)

Clear Glass Standard



Colonial Grilles

Optional



Prairie Grilles

Optional



Enhanced Security

The unique Andersen® reachout locking hardware pulls the door panel snugly into the jamb for a weathertight seal and enhanced security. An Auxiliary Foot Lock adds an extra measure of security when the door is in a locked position. Lock can be set so the door is fully closed or partially open to provide a secure venting position. Keyed locks are optional, Auxiliary Foot Locks are standard.

Internal Blinds

Optional in White Only





Tribeca Hardware



WHITE Standard



STONE Optional





200 SERIES PATIO DOORS WITH LOW-E GLASS ISPD HINGED

Optional

200 Series Hinged Patio Doors

Give you traditional French styling with the convenience and durability of fiberglass door panels. Low-maintenance aluminum protects the frame and sill from the elements.

Available in two panel configurations. *All doors have white interiors.*

Enhanced Security

The mortised lock and hook design provides strength and added security compared to bored locks with standard deadbolts. *Keyed locks are optional.*

SmartSun™ Glass

Has the benefits of Low-E glass, plus it helps shield your home from the sun's heat and filters out 95% of harmful UV rays while letting sunlight shine through.



Exterior Door Color Selections



WHITE

Standard





TERRATONE Optional





200 SERIES PATIO DOORS WITH LOW-E GLASS ISPD HINGED

Optional

Clear Glass



Colonial Grilles



Prairie Grilles



Interior Door Finish Selection



WHITEStandard




Tribeca Hardware



WHITE Standard



Optional











SILVERLINE VINYL LOW-E with ARGON GAS PATIO DOOR Optional









SILVERLINE VINYL LOW-E with ARGON GAS PATIO DOOR

Optional


Colonial Grilles



Prairie Grilles



Exterior & Interior Door Color Selections



Standard



Optional



Optional



Optional



Color Matched Hardware

White, Sandstone, Dark Bronze or Black Standard





400 SERIES DOORS with LOW-E GLASS FRENCHWOOD GLIDING

Optional

Maximum Strength

Mortise-and-tenon joints prevent panel sag and maintain smooth operation.

Smooth Operation

Dual ball-bearing rollers on door panels provide smooth gliding operation with self-contained leveling adjusters.

Enhanced Security

The unique Andersen® reachout locking hardware pulls the door panel snugly into the jamb for a weathertight seal and enhanced security.

SmartSun™ Glass

Has the benefits of Low-E glass, plus it helps shield your home from the sun's heat and filters out 95% of harmful UV rays while letting sunlight shine through.



Exterior Door Color Selections









WHITEStandard

SANDTONE Optional TERRATONE Optional

FOREST GREEN
Optional





400 SERIES DOORS with LOW-E GLASS FRENCHWOOD GLIDING

Clear Glass



Colonial Grilles



Prairie Grilles



Interior Door Finish Selections



WHITE Standard



PINE Standard



MAPLE Optional



OAK Optional



Tribeca Hardware



Standard



STONE Optional



Newbury Satin Nickel Optional





EncinoDistressed Bronze
Optional



Albany Black Optional







400 SERIES DOORS with LOW-E GLASS FRENCHWOOD HINGED

Optional

Maximum Strength

Mortise-and-tenon joints prevent panel sag and maintain smooth operation.

Adjustable Hinges

Adjustable hinges are standard on inswing patio doors and have ball-bearing pivots for smooth, frictionless movement. Features easy horizontal and vertical adjustment, plus quick-release feature for easy panel removal.

Enhanced Security

The multi-point locking system, with a hook bolt above & below the center dead bolt, provides a weathertight seal & enhanced security.

SmartSun™ Glass

Has the benefits of Low-E glass, plus it helps shield your home from the sun's heat and filters out 95% of harmful UV rays while letting sunlight shine through.



Exterior Door Color Selections



WHITE

Standard





TERRATONE Optional



FOREST GREEN
Optional





400 SERIES DOORS with LOW-E GLASS FRENCHWOOD HINGED

Optional

Clear Glass



Colonial Grilles



Prairie Grilles



Interior Door Finish Selections



WHITE Standard



PINE Optional



MAPLE Optional



OAK Optional



Standard



STONE Optional












ANDERSEN 200 SERIES WINDOWS with LOW-E GLASS Standard

Double-Hung Windows

These windows are weather resistant for greater comfort & efficiency. The exclusive Andersen Perma-Shield® system gives your windows a tough, protective shell that safeguards the wood inside. It repels water, resists dents & stays beautiful for years. Double-hung windows tilt-in for easy cleaning. Narrow profiles maximize light and view. Full insect screens are included. Clear pine interiors or white interior finish.

SmartSun™ Glass

Most people can enjoy optimal energy performance and comfort with Low-E/Low-E4® glass. Low-E glass reflects heat in the summer and helps keep heat inside in the winter, making this a good choice in climates where both heating and cooling costs are a concern. Tempered safety glass available in bathrooms.



Exterior Window Color Selections







ANDERSEN 200 SERIES WINDOWS with LOW-E GLASS Standard

Colonial Grilles

Optional





Prairie Grilles

Optional





Interior Window Color Selections

Optional



WHITE Standard




PINE Optional




Equal Lite Grilles


Optional







2W X 2H



3W X 1H

Lock & Keeper Finish Selections





WHITE Standard


STONE Optional





SILVERLINE VINYL WINDOWS with LOW-E GLASS & ARGON GAS

Optional



Silver Line® Single-Hung Windows

- Simple design blends with virtually any décor
- Tilt-in bottom sash for easy cleaning
- Fusion-welded vinyl for durability
- Integral J-channel is optional for attractive trimming of exterior siding







SILVERLINE VINYL WINDOWS with LOW-E GLASS & ARGON GAS

Optional



Silver Line® Double-Hung Windows

- · Colonial brick mould design for classic styling
- Tilt-in top and bottom sash for easy cleaning
- Fusion-welded, heavy-duty vinyl for strength and durability
- · Integral J-channel is optional for attractive trimming of exterior siding









SILVERLINE VINYL WINDOWS with LOW-E GLASS & ARGON GAS

Optional


Colonial Grilles




Prairie Grilles




Equal Lite Grilles



Exterior & Interior Door Color Selections



Standard



Optional



Optional



Optional



Optional







ANDERSEN 400 SERIES WINDOWS with LOW-E4 GLASS


Optional

Double-Hung Windows

These windows have two operating sashes that move up and down allowing for ventilation on the top, bottom or both. The sash tilts in for easy cleaning from the inside of your home. It's made of wood protected by a vinyl exterior. Virtually Maintenance Free. Dual-layer, compressible bulb weather-stripping seals out dust, wind & water. Full insect screens are included. Black & Dark Bronze interior available only with matching exterior color.

SmartSun™ Glass

Most people can enjoy optimal energy performance and comfort with Low-E/Low-E4® glass. Low-E glass reflects heat in the summer and helps keep heat inside in the winter, making this a good choice in climates where both heating and cooling costs are a concern. Tempered safety glass available in bathrooms.



Exterior Window Color Selections



MATCHING MATCHING INTERIOR ONLY ONLY

DARK BRONZE BLACK
Optional Optional

FOREST GREEN
Optional





ANDERSEN 400 SERIES WINDOWS with LOW-E4 GLASS

Optional

Colonial Grilles





Prairie Grilles





Interior Window Color Selections



WHITE Optional



PINE Optional



DK BRONZE Optional




BLACK Optional


Equal Lite Grilles



2W X 1H



2W X 2H



3W X 1H

Lock & Keeper Finish Selections



WHITE Optional



Optional



GOLD DUST Optional





INTERIOR DOORS PAINTED POLAR WHITE (shown primed) Standard



COLONIST 6-PANEL

6'8 HOLLOW CORE STANDARD
SOLID CORE OPTIONAL
SMOOTH, COVE & BEAD STICKING



CAIMAN 2-PANEL ARCH

6'8 HOLLOW CORE STANDARD
SOLID CORE OPTIONAL
SMOOTH, COVE & BEAD STICKING

35





INTERIOR DOORS PAINTED POLAR WHITE (shown primed)

Optional



COVENTRY 4-PANEL

6'8 HOLLOW or SOLID CORE OPTIONAL SMOOTH, COVE & BEAD STICKING



CARRARA 2-PANEL

6'8 HOLLOW CORE or SOLID CORE OPTIONAL SMOOTH, COVE & BEAD STICKING

36





INTERIOR DOORS PAINTED POLAR WHITE (shown primed)

Optional



SANTE FE 2-PANEL ARCH PLANK

6'8 HOLLOW CORE or SOLID CORE OPTIONAL SMOOTH, OVOLO STICKING



CRAFTSMAN 3-PANEL

6'8 HOLLOW CORE or SOLID CORE OPTIONAL SMOOTH, CRAFTSMAN STICKING

37



STAINED INTERIOR DOORS

Optional

See Stain Selections Page for Color Selections Pg.49







FLUSH BIRCH VENEER

6'8 HOLLOW CORE or SOLID CORE

6-PANEL POPLAR*

SOLID CORE

15-LITE POPLAR*

SOLID CORE

38



STAINED INTERIOR DOORS

Optional


See Stain Selections Page for Color Selections Pg.49







6-PANEL OAK 6'8 SOLID CORE



15-LITE OAK 6'8 SOLID CORE

Kwikset



INTERIOR LOCKS – Tustin Lever Standard











INTERIOR LOCKS – Halifax Lever









SATIN NICKEL DOOR HARDWARE

Standard Finish



AGE PULL 2-1/8" FINGER PULL







BRONZE DOOR HARDWARE

Optional Finish



PASSAGE POCKET DOOR PULL



2-1/8" FINGER PULL









RIGID DOOR STOP

BLACK DOOR HARDWARE

Optional Finish




POCKET DOOR PULL





BARN DOOR with SOFT CLOSE TRACK


Door Levers







INTERIOR TRIM – FJP Painted Polar White Standard



WIDE CASING

11/16" X 3-1/4"


WIDE BASE

9/16" x 5-1/4"





INTERIOR TRIM – FJP Painted Polar White Optional



NARROW

CASING

11/16" X 2-1/4"

NARROW BASE 9/16" X 3-1/4" CRAFTSMAN
CASING
11/16" X 3-1/2"


BASE 9/16" X 5-1/4"






INTERIOR TRIM – Stained Poplar or Oak Optional

See Stain Selections Page for Color Selections
Pg. 49





| NARROW | NARROW |
|-----------------|------------|
| CASING | BASE |
| 11/16" X 2-1/4" | 9/16" X 3" |

WIDE

CASING

9/16" X 3-1/2"

WIDE BASE 9/16" X 4-1/2"



Stain Selections for Poplar or Oak








CLASSIC STAIR RAILINGS Per Plan

See Stain Selections Page for Color Selections
Pg.49







CHALET CONTEMPORARY STAIR RAILINGS

See Stain Selections Page for Color Selections Pg.49

POPLAR - Standard OAK - Optional HAND RAIL 2.75" **HAND RAIL 2.75**" LJ-6002-P LJ-6002-O STAIR RAIL 1.25" PLOW **STAIR RAIL 1.25" PLOW** LJ-6000-O LJ-6000-P **SHOE RAIL 1.25" PLOW SHOE RAIL 1.25" PLOW** LJ-6000S-O LJ-6000S-P BALUSETER LJ-5060-O 34,38,42 **BALUSETER LJ-5060-P 34,38,42 NEWEL POST LJ-4001-P NEWEL POST LJ-4001-O FILLET 1.25" FILLET 1.25"** LJ-6000F-P LJ-6000F-O





CARPET – Freshen Up 35oz Standard







CARPET PAD

Standard

Spring™ Bonded Polyurethane Carpet Cushion

Product Description

| Foam Density | 5.95 pcf |
|-----------------------|---|
| Foam Color | Neutral |
| Backing Type | Poly |
| Backing Color | Black |
| Thickness* | ³ / ₈ - ¹ / ₂ " |
| Roll Size | 30 yd² |
| HUD/FHA Certification | Class 1 |
| Warranty | Life of Carpet |
| | |



Product Features

- CRI Green Label Plus certification
- Made using recycled polyurethane foam and is 100% recyclable



^{*}Thickness provided at industry standards within ± 1/32" tolerance





CARPET – Go Softly 35oz Standard







CARPET – Go Softly 35oz Standard








CARPET – Your Choice 25oz







CARPET – Your Choice 25oz







CARPET - Believe It 25oz







CARPET - Believe It 25oz







LUXURY VINYL CLICK LOCK FLOOR TILE 12X24Standard













LUXURY VINYL CLICK LOCK FLOOR TILE 12X24Standard









































































FLAT INTERIOR PAINT Standard



The BEHR PRO PR310 Dead Flat Interior Paint is

versatile with great performance whether brushed, rolled or sprayed. Designed for professionals, it offers superior hide and excellent touch-up in a water-based formula. It also offers low VOC and low Odor in a GreenGuard Gold certified washable flat.

FLAT INTERIOR PAINT Optional





ProMar® 200 Zero VOC Flat Interior Latex Paint

Professional paint that not only has zero VOCs, but is also available in a variety of colors. All while delivering exceptional durability & touch up. And now, the flat sheen has improved hide & durability, & meets MPI certification.

- Interior Walls Painted in Light Colors (up to 2 colors)
- Interior Walls Painted In Bold (Dark) Colors
- Interior Walls Painted in Additional Colors





SHELF & ROD SHELVING Standard

ClosetMaid's® economical Shelf & Rod shelving provides shelf and hanging space for bedroom, laundry or where extra space is needed. No need to purchase a hang rod, it is constructed into the shelving unit.



- Ventilated wire construction
- Material: Vinyl coated steel
- •All shelving SCS® Certified for minimum of 91% recycled content









CROWN or CHAIR RAIL

FJ Painted Polar White, Poplar Stained, Oak Stained Optional

See Stain Selections Page for Color Selections Pg.49





CROWN 3-1/4" 2030 CHAIR RAIL 2-5/8" 4520






DRYWALL BULLNOSE





CASED OPENINGS

Standard







EASY-ARCH TRUE ELLIPTICAL ARCHWAY


Optional



Features/Benefits

- All Easy-Arch products are made from high quality, ASTM A653, structural grade 33, hot-dipped galvanized steel (coating designation G40)
- Preformed & precut
- Ready to Install
- Perfect Shapes
- Quick & Easy








WALL-HUNG TV BLOCKING

Optional





BEFORE AFTER

HI/LOW COMMUNICATION BOXES

& HDMI CABLE CONDUIT





LED LIGHT

Standard (See Spec Sheet for Locations)



- Off-board driver minimizes installation height & maximizes fixture life through improved heat management
- Dimmable to less than 5% with compatible TRIAC dimmers
- Operating temperature of 0° to 120°F (-18°C to 49°C)
- Input voltage of 120VAC
- TM-21 Reported L70(9K) hours >54,000

















BEDROOM, LOFT or STUDY LIGHTS

Standard

Optional in the Living/Family Room

BULB INCLUDED



SATIN NICKEL 563SN



FLAT BLACK 563FTB



BRONZE 563BZ



ENTRY FOYER, BEDROOM, STUDY, LIVING/FAMILY ROOM LIGHTS

Optional Bulbs NOT INCLUDED



SEMI-FLUSH SATIN NICKEL 575SN



SEMI-FLUSH BRONZE 575BZ



SATIN NICKEL 2152SN



BRUSHED BRONZE 2152BRZ



ENTRY FOYER, BEDROOM, STUDY, LIVING/FAMILY ROOM LIGHTS

Optional Bulbs NOT INCLUDED



BURBANK MATTE BLACK 163MB



BULBS NOT INCLUDED

ENTRY FOYER LIGHTS



SATIN NICKEL 3234SN



RUBBED BRONZE 3234RBZ




MATTE BLACK 3234MB



ENTRY FOYER LIGHTS

Optional

BULBS NOT INCLUDED





Optional

BULBS NOT INCLUDED





BRISTO SATIN NICKEL

7253SN





Optional

BULBS NOT INCLUDED





BRISTO RUBBED BRONZE 7253RBZ



CIMMARON RUBBED BRONZ 2153RBZ



Optional

BULBS NOT INCLUDED



MAIN STREET SATIN NICKEL 75SN



MAIN STREET MATTE BLACK
75BK



BURBANK MATTE BLACK 143MB




CLIFTON MATTE BLACK/BRUSHED MICKEL 3503MB/BN



Optional


BULBS NOT INCLUDED





BRISTO SATIN NICKEL

7255SN





Optional

BULBS NOT INCLUDED



1465HBZ



BRISTO RUBBED BRONZE 7255RBZ



CIMMARON RUBBED BRONZE 2155RBZ



Optional





CLIFTON MATTE BLACK & BRUSHED NICKEL 3505MB/BN



SCONCES - Loft & 2nd Floor Hall

Optional

BULB INCLUDED

LANSING RUBBED BRONZE 3071RBZ



LANSING BRUSHED PEWTER 3071BPW



CIMMARON RUBBED BRONZE 2161RBZ



CIMMARON SATIN NICKEL 2161SN



NATALIE RUBBED BRONZE 1491RBZ



NATALIE SATIN NICKEL 1491SN





BULB INCLUDED

SCONCES - Loft & 2nd Floor Hall



BURBANK MATTE BLACK 171MB

SIEMENS



ELECTRIC PANEL – 200 Amp Standard



All homes feature copper wire ONLY. Wired to meet or exceed current national electrical code requirements.



USB CHARGING STATION, COMMUNICATION OUTLETSStandard

One Charger is
Standard in All Homes.
Additional Chargers
are optional.





Communication Outlet for Cable & Phone Standard

2 each in the Master Bedroom

& Living Room.

One TV Jack is Standard in

Remaining Bedrooms.





Standard Overlay ½"

Standard Overlay doors and drawer fronts are designed with a back beveled profile to eliminate the need for decorative hardware; however it is recommended for additional finish longevity.



SOL shown in Clayton Maple Frappe



FOL shown in Henning Maple Frappe

Full Overlay 1 1/4"

Optional Decorative Hardware is required with Full Overlay styles





CLAYTON OAK CABINETRY

Standard



CLAYTON (SOL)Shown in Oak Walnut Stain





CABINETRYOptional Door Styles



FREEMONT (SOL)
Shown in Oak Walnut



HENNING (FOL)Shown in Maple Smoke



EVELYN (FOL) 93 Shown in Cherry Pecan







CLAYTON RAISED PANELAvailable in

Oak Maple Cherry



EVELYN BEADED CENTER PANELAvailable in

Oak
Maple
Knotty Alder
Hickory
Cherry







FREEMONT FLAT PANELAvailable in

Oak Maple



HENNING FLAT PANELAvailable in

Oak Maple Knotty Alder Hickory Cherry





Optional Oak



HENNING (FOL)Shown in Oak Peppercorn Stain





Optional Maple



FREEMONT (SOL)
Shown in Maple Onyx Stain





Optional Hickory



EVELYN (FOL)Shown in Hickory Natural Stain





Optional Knotty Alder



HENNING (FOL)Shown in Knotty Alder Pecan Stain





Optional Cherry



CLAYTON (SOL)Shown in Cherry Espresso Stain





Optional Sheer Stained Oak Cabinetry

Coastal Collection

This finish process consists of a semitransparent pigmented stain evenly applied to all finished components resulting in a color washed finish with slight visibility to the wood character and tone. Pigmented stains are semitransparent; meaning the wood color and texture will affect the overall finish and will be slightly apparent. The texture of wood species with open grain, such as oak, will be more apparent compared to the closed grain character of maple. A satin finish ovencured top-coat completes the process and provides a superior sealed product.



FREEMONT OAK (SOL)

Shown in Oak Castle Rock Sheer Stain





CABINETS

Optional Painted Maple



HENNING (FOL)Shown in Maple Gale Paint





WOOD CHARACTERISTICS























































OAK STAIN SELECTIONS

Standard








OAK STAIN SELECTIONS


Standard








MAPLE STAIN SELECTIONS







KNOTTY ALDER STAIN SELECTIONS








HICKORY STAIN SELECTIONS







CHERRY STAIN SELECTIONS







CHERRY STAIN SELECTIONS







OAK SHEER STAIN SELECTIONS







MAPLE PAINT SELECTIONS







MAPLE PAINT SELECTIONS

| WHITE ICING | |
|--|-----|
| | |
| | |
| | |
| SEA SALT | |
| | |
| | |
| | |
| | |
| GALE | |
| And the second s | |
| | |
| | |
| CARRIAGE BLACK | 113 |





TRADITIONAL MULLION DOORS

Optional

Traditional Mullions

- Solid dividers and clear glass
- Clear glass insert is safety glass (laminated or tempered)
- Clear glass may be replaced with textured glass
- NOTE: Shelves may not align with decorative mullion grid detail.

- Cabinets with glass inserts include plywood construction (veneered in species indicated on order)
- Components upgraded to plywood include: interior, end panels, tops, bottoms, backs and shelving stained or painted to match the exterior color of the cabinet







PRAIRIE MULLION DOORS

Optional in Evelyn & Henning Doors ONLY

Prairie Mullions

- Solid dividers and clear glass
- Clear glass insert is safety glass (laminated or tempered)
- Clear glass may be replaced with textured glass
- Shelves may not align with decorative mullion grid detail
- Available in Evelyn & Henning ONLY

- Cabinets with glass inserts include plywood construction (veneered in species indicated on order)
- Components upgraded to plywood include: interior, end panels, tops, bottoms, backs and shelving stained or painted to match the exterior color of the cabinet







SEEDY GLASS DOORS

Optional

Seedy Glass Inserts

- Antiqued, speckled pattern
- Slightly obscure
- Textured safety glass (laminated or tempered) installed into frame
- Smooth side of glass is facing out,
 may be reversed in field
- Please view samples of decorative glass for proper representation

- Cabinets with glass inserts include plywood construction (veneered in species indicated on order)
- Components upgraded to plywood include: interior, end panels, tops, bottoms, backs and shelving stained or painted to match the exterior color of the cabinet







WATER GLASS DOORS

Optional

Water Glass Inserts

- Subtle wave pattern
- Mostly clear
- Textured safety glass (laminated or tempered) installed into frame
- Smooth side of glass is facing out,
 may be reversed in field
- Please view samples of decorative glass for proper representation

- Cabinets with glass inserts include plywood construction (veneered in species indicated on order)
- Components upgraded to plywood include: interior, end panels, tops, bottoms, backs and shelving stained or painted to match the exterior color of the cabinet







CLEAR GLASS DOORS

Optional

Clear Glass Inserts

- Textured safety glass (laminated or tempered) installed into framed side of glass is facing out, may be reversed in field
- Please view samples of decorative glass for proper representation

- Cabinets with glass inserts include plywood construction (veneered in species indicated on order)
- Components upgraded to plywood include: interior, end panels, tops, bottoms, backs and shelving stained or painted to match the exterior color of the cabinet



KITCHEN CABINET COMPANIES AREN'T ALL THE SAME. MAKE SURE YOU PICK ONE THAT HAS A POSITIVE IMPACT ON THE ENVIRONMENT.

A recent study by Hanley-Wood found that environmental sustainability is one of the top reasons cited when selecting cabinets



KITCHEN CABINET MANUFACTURERS ASSOCIATION ENVIRONMENTAL STEWARDSHIP PROGRAM (ESP) ALL PRODUCTS IMPACT THE ENVIRONMENT

RESPONSIBLE PROCESS RESOURCE MANAGEMENT:

Cabinet manufacturers are checked to ensure they are dealing with wastes in responsible, sustainable ways and that they have a comprehensive recycling program in place.



ENVIRONMENTAL STEWARDSHIP:

Cabinet manufacturers are checked to ensure they have a written policy stating their commitment to environmental quality and that they attempt to ensure their vendors also engage in environmentally sustainable practices.



To earn the KCMA
Environmental Stewardship
Program Certification Seal,
companies need to score 80 out
of a possible 110 points in
these categories:



COMMUNITY ENGAGEMENT:

Cabinet manufacturers are examined to ensure they demonstrate community involvement and observe all federal, state and local environmental regulations.



Cabinet manufacturers are investigated to ensure they are purchasing materials from reputable companies with sustainable forestry programs.





AIR QUALITY:

Cabinets are inspected to ensure they meet safe emission standards for formaldehyde and other hazardous air pollutant levels.

For a full list of requirements and to learn more about how you can become ESP Certified, visit our website at www.kcma.org.



A LOT OF KITCHEN CABINETS LOOK ALIKE, HOW DO YOU PICK ONE YOU CAN TRUST?

This Old House says you shouldn't buy a cabinet without the KCMA Certified Seal



ANSI/KCMA A161.1

DRAWER:

We load drawers at 15 pounds per square foot and operate them through 25,000 cycles, representing 20 years of regular use.



DOOR:

We load a cabinet door with 65 pounds, cycle through open and close ten times and inspect for visible signs of looseness.



Why?

To earn the KCMA
Certified Seal, kitchen
cabinets must be put through a
series of 15 tests. During these
tests, cabinets are checked for
structural strength and finish
quality. The cabinet boxes as
well as drawers and doors are
tested throughout
the process.



STRUCTURAL:

We load wall-mounted cabinets to 600 pounds and look for structural failure. These tests verify the integrity and strength of the cabinets.



FINISH:

We expose the finish to vinegar; lemon, orange and grape juices; tomato ketchup; coffee; olive oil; 100-proof alcohol; mustard; and to long periods of exposure to a detergent and water solution.



The KCMA A161.1 Quality Certification Seal makes it easy to recommend cabinets. In fact, this seal is so trusted, *This Old House* recommends only buying cabinets with the KCMA A161.1 Quality Certification Seal.

Make sure your cabinets are recommended. Get certified today!

For more information visit the website www.kcma.org/certifications/about







CABINETRY









CABINETRY









CABINETRY











KANE CABINET KNOBS & PULLS















CANDLER CABINET KNOBS & PULLS





MODERN CABINET KNOBS & PULLS





SATIN NICKEL 5002-T-SS











3X6 SUBWAY TILE BACKSPLASH

Optional



100 WHITEWith Bright White Grout

101 BISCUITWith Navajo White Grout


500 WARM GRAY With Silver Grout 127





MINI-SUBWAY TILE BACKSPLASH

Optional



100 WHITEWith Bright White Grout

101 BISCUITWith Navajo White Grout

500 WARM GRAY With Silver Grout 128





COLLINS® KITCHEN FAUCETStandard

4-HOLE MOUNT



CHROME 440-DST





COLLINS® KITCHEN FAUCET

4-HOLE MOUNT

Optional



STAINLESS STEEL 440-SS-DST





LELAND® KITCHEN FAUCET W/PULL SPOUT

1 OR 3-HOLE MOUNT

Optional (specify with or without escutcheon plate)



ARCTIC STAINLESS 9178-AR-DST



VENETIAN BRONZE 9178-RB-DST

131



ShieldSpray* Technology

POWERS OFF THE MESS WITHOUT MAKING A MESS.





ShieldSpray* Technology makes faucets more versatile than ever.

- Concentrated jet of water powers away stubborn messes.
- Innovative protective sphere of water contains the splatter.
- Activate by pulling down the wand, then pressing and holding the top button on the spray.

For more information, visit deltafaucet.com/shieldspray







ESSA® KITCHEN FAUCET with Pull Spout

1 OR 3-HOLE MOUNT

Optional (specify with or without escutcheon plate)











TRINSIC® KITCHEN FAUCET with Pull Spout

1-HOLE MOUNT




BLACK STAINLESS STEEL 9159-KS-DST





TRINSIC® KITCHEN FAUCET with Pull Spout Optional

1-HOLE MOUNT













BASKET STRAINER/DISPOSER FLANGE (2)

Optional





OIL-RUBBED BRONZE



MATCHING STRAINERS/DISPOSER FLANGES AVAILABLE PER CUSTOM QUOTE Shown in Black









FORMICA SURFACE MOUNT SINKStandard



4-HOLE STAINLESS STEEL DOUBLE EQUAL BOWL DSE233224



FORMICA SURFACE MOUNT SINK

Optional





STAINLESS STEEL SINGLE BOWL 18SB.933221.075

Optional 1,3 HOLE



KOHLER_®

HARTLAND WHITE ENAMELED CAST IRON DOUBLE EQUAL BOWL K-5818

Optional 1,3,4-HOLE





FORMICA UNDERMOUNT SINK

Optional



STAINLESS STEEL
DOUBLE EQUAL BOWL
E-350

Standard Option



STAINLESS STEEL
DOUBLE EQUAL BOWL
E-550

Optional



STAINLESS STEEL SINGLE BOWL E-540





FORMICA UNDERMOUNT SINK

Optional



QUARTZ DOUBLE EQUAL BOWL Q-350

Standard Option
Shown in Black



QUARTZ SINGLE BOWL Q-340

Optional
Shown In Black





Matching Strainers & Disposer Flanges Available per Custom Quote













SINKOLOGY



FORMICA APRON SINK

Optional





JOSEPHINE FIRECLAY
3-HOLE WHITE
SK450-34FC

141





FORMICA COUNTERTOPS

Standard







FORMICA COUNTERTOPS

Standard







FORMICA COUNTERTOPS

Standard








FORMICA COUNTERTOPS – 180FX







FORMICA COUNTERTOPS – 180FX







FORMICA COUNTERTOPS – 180FX









FORMICA COUNTERTOP EDGE PROFILES

STANDARD E-TOP 2000 EDGE

The 90°/90° oval, flat-front roll nose complements today's cabinets creating a luxurious look. The laminate wraps around the front nose giving added protection. More curves, softer flowing lines, just the right touches.






OPTIONAL AMORE' EDGE

This beautiful profile gives a classic edge to your kitchen or bath that emulates the luxurious look of stone. Shown with flat cap. Available with profile edge.






OPTIONAL AEGEAN EDGE

The Aegean gives you a sleek, eased edge without the black line common to many laminate countertops. Shown with flat cap. Available with profile edge.









AMORE' TOP with PROFILE EDGE



AEGEAN TOP with PROFILE EDGE





When selecting a Formica top, please be aware that some of the more linear patterns may not match up at the seams





SOLID SURFACE INTEGRATED SINK

Optional



SOLID SURFACE DOUBLE EQUAL BOWL

Standard Option
Shown in Ivory White

SOLID SURFACE SINGLE BOWL

Optional
Shown In Arctic White









150





SOLID SURFACE COUNTERTOPS Level I







SOLID SURFACE COUNTERTOPS Level I







SOLID SURFACE COUNTERTOPS Level II

Optional



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.





SOLID SURFACE COUNTERTOPS Level II

Optional



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.



SOLID SURFACE EDGE PROFILES

Standard



EASED (N-2)



ROMAN OGEE (N-9)





GRANITE/QUARTZ UNDERMOUNT SINKOptional



STAINLESS STEEL
DOUBLE EQUAL BOWL
MSI-3118
Optional



STAINLESS STEEL SINGLE BOWL MSI-3018 Optional





GRANITE/QUARTZ UNDERMOUNT SINK

Optional



QUARTZ DOUBLE EQUAL BOWL ELGU3322

Optional Shown in Greige



QUARTZ SINGLE BOWL ELGRU13322

Optional Shown in Greige

Matching Strainers & Disposer Flanges Available per Custom Quote



DUSK GRAY







WHITE **PUTTY**

GREIGE





GRANITE/QUARTZ APRON SINK*

Optional



GWEN FIRECLAY
WHITE
FS33







GRANITE/QUARTZ APRON SINK*

Optional





CROSSTOWN
STAINLESS STEEL
ECTRUF30179R

159



GRANITE COUNTERTOPS Level I



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.




GRANITE COUNTERTOPS Level II



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.



QUARTZ COUNTERTOPS Level I





QUARTZ COUNTERTOPS Level I



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.



QUARTZ COUNTERTOPS Level II


Optional



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.



QUARTZ COUNTERTOPS Level II




Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.




GRANITE & QUARTZ EDGE PROFILES

STANDARD PROFILES




OPTIONAL PROFILES







LED UNDERCAB LIGHTING with BOTTOM EDGE MOLDING Optional



Bottom Edge Molding Matches Cabinet Stain or Paint

- Direct-wire
- White curved frosted lens provides even light distribution
- Slim 1" low profile installs unobtrusively for a streamlined look
- 6-Watt, 300 Lumens output, 50 lm/Watt efficacy, 80 CRI, 3000K color temperature
- LEDs offer 50,000 hours of operating life, never need replacement
- Backed by a 5-year limited manufacturer warranty



SATIN NICKEL PENDANTS

BULB NOT INCLUDED

Optional Pendant Light In Place of LED (Optional)





BRONZE PENDANTS

BULB NOT INCLUDED

Optional Pendant Light In Place of LED (Optional)





BLACK PENDANTS

BULB NOT INCLUDED

Optional Pendant Light In Place of LED (Optional)







BROAN® 40000 SERIES UNDER-CABINET RANGE HOODStandard



403023 BLACK



403001 WHITE



403002 BISQUE





BROAN® 40000 SERIES UNDER-CABINET RANGE HOOD



STAINLESS STEEL 403004









Optional

STAINLESS STEEL UVW8301SLSS

2" Minimum Claar Space

3" Minimum Clear Space Between Chimney Hood & Wall Cabinets

The latting la







VENT HOOD

Optional



3" Minimum Clear Space Between Chimney Hood & Wall Cabinets



JVW5301SJSS
STAINLESS STEEL



JVW5301BJTS
BLACK STAINLESS



JVW5301FJDS BLACK SLATE





1.6 CU FT OVER THE RANGE MICROWAVE with Vent

Optional



STAINLESS STEEL JVM3162RJSS



BLACK JVM3162DJBB



WHITE JVM3162DJWW





DISHWASHER with FRONT CONTROLS

Optional



BLACK GDF510PGRBB



WHITE GDF510PGRWW



STAINLESS STEEL GDF510PSRSS

176





KITCHEN DISPOSAL

Optional





Features

- 1/2 Horsepower Dura-Drive® Induction Motor
- Galvanized Steel Construction
- Assembled in USA with American Pride
- Quick Lock® Sink Mount allows for easy installation and disposer replacement





ICE MAKER HOOK-UP FOR REFRIDGERATOR

Optional



I2K ICEMAKEER BOX (LEAD FREE) 39136 MANSFIELD™



VANITY SINK - TOP-MOUNT for FORMICAStandard

Formica Tops Standard See Selections on Pages 142-149



MAVERICK I 3-HOLE, 4" SPREAD 249-4







MANSFIELD™



VANITY SINK - TOP-MOUNT OPTION for FORMICA

Optional

Formica Tops Standard See Selections on Pages 142-149




BARRETT
3-HOLE WHITE, 4" SPREAD
268-4

















VANITY SINK - UNDERMOUNT OPTION for FORMICA

Optional

Formica Tops Standard See Selections on Pages 142-149





ACRYLIC SINK WHITE A-306











VANITY SINK – INTEGRATED OPTION for SOLID SURFACEOptional

See Solid Surface Tops Selections on Pages 151-155



SINGLE VANITY 1914

Shown in Arctic White





IVORY WHITE



CREAM



ALMOND





VANITY SINK - UNDERMOUNT OPTION for GRANITE/QUARTZ

Optional



See Granite & Quartz Tops Selections on Pages 160-166

PORCELAIN
OVAL BOWL
1714
Shown in White



PORCELAIN
WAVE BOWL
1813
Shown in White



BISCUIT

BISCUIT






MARBLE VANITY TOPS

Optional

Formica Tops Standard See Selections on Pages 142-149



WAVE BOWL
Shown in White on White







MARBLE VANITY TOP COLOR SELECTIONS

Optional



Actual colors may differ from those shown due to the printing process. Check Model Home samples for actual colors.





CLASSIC® LAVATORY FAUCET Standard







CHROME 520-DST





CLASSIC® LAVATORY FAUCET







STAINLESS STEEL 520-SS-DST





WOODHURST® LAVATORY FAUCETS

Optional









STAINLESS STEEL 3532LF-SSMPU





VENETIAN BRONZE 3532LF-RBMPU





LAHARA® LAVATORY FAUCETS







CHROME 2538-MPU-DST



STAINLESS STEEL 2538-SSMPU-DST



CHAMPAGNE BRONZE 2538-CZMPU-DST



VENETIAN BRONZE 2538-RBMPU-DST





TRINSIC® LAVATORY FAUCETS

Optional (specify with or without escutcheon plate)







STAINLESS STEEL 559LF-SSMPU



MATTE BLACK 559LF-BLMPU



CHAMPAGNE BRONZE 559LF-CZMPU



VENETIAN BRONZE 559LF-RBMPU





CLASSIC MONITOR® TUB & SHOWER TRIM Standard











CHROME T13420





CLASSIC MONITOR® TUB & SHOWER TRIMOptional











STAINLESS STEEL T13420-SS





WOODHURST® TUB & SHOWER TRIM

Optional













LAHARA® TUB & SHOWER TRIM

Optional













LAHARA® TUB & SHOWER TRIM

Optional





CHAMPAGNE BRONZE

T14438-CZ







VENETIAN BRONZE

T14438-RB















TRINSIC® TUB & SHOWER TRIM

Optional





STAINLESS STEEL T14459-SS







VENETIAN BRONZE T14459-RB











TRINSIC® TUB & SHOWER TRIM

Optional





CHAMPAGNE BRONZE T14459-CZ








MATTE BLACK T14459-BL















CLASSIC MONITOR® SHOWER TRIM

Standard









CHROME T13220





CLASSIC MONITOR® SHOWER TRIM









STAINLESS STEEL T13220-SS





WOODHURST® SHOWER TRIM

Optional











LAHARA® SHOWER TRIM

Optional















CHAMPAGNE BRONZE















TRINSIC® SHOWER TRIM

Optional



















STAINLESS STEEL





VENETIAN BRONZE T14259-RB









HANDHELD SHOWER ILO STANDARD SHOWER HEAD

Optional 5-Setting Two-in-One



CHROME 58569-PK

STAINLESS STEEL 58569-SS-PK

VENETIAN BRONZE 58569-RB-PK CHAMPAGNE BRONZE 58569-CZ-PK







CLASSIC ROMAN TUB TRIMStandard







CHROME T2705





CLASSIC ROMAN TUB TRIM

Optional







STAINLESS STEEL T2705-SS





WOODHURST® ROMAN TUB TRIM











LAHARA® ROMAN TUB TRIM









TRINSIC® ROMAN TUB TRIM













Standard Above 24" – 36" Vanities

BULBS INCLUDED



LANSING BRUSHED PEWTER 3072BPW



LANSING RUBBED BRONZE 3072RBZ



Optional

BULBS INCLUDED



FRANKLIN BRUSHED PEWTER 3222BPW



FRANKLIN RUBBED BRONZE 3222RBZ



CIMMARON SATIN NICKEL 2162SN



CIMMARON RUBBED BRONZE 2162RBZ



NATALIE SATIN NICKEL 1492SN



NATALIE RUBBED BRONZE₁₃
1492RBZ



Standard Above 42" – 48" Vanities

BULBS INCLUDED



LANSING BRUSHED PEWTER 3073RBZ



LANSING RUBBED BRONZE 3073RBZ



Optional

BULBS INCLUDED



FRANKLIN BRUSHED PEWTER 3223BPW



FRANKLIN RUBBED BRONZE 3223RBZ



CIMMARON SATIN NICKEL 2163SN



CIMMARON RUBBED BRONZE 2163RBZ



NATALIE SATIN NICKEL 1493SN



NATALIE RUBBED BRONZE₂₁₅ 1493RBZ



Optional

BULBS INCLUDED



BURBANK MATTE BLACK 172MB



BURBANK MATTE BLACK 173MB



BATHROOM VANITY MIRROR

Standard




Mirror & 2-Bulb Light Fixture Standard Above 24'' - 36'' Vanities Mirror & 3-Bulb Light Fixture Standard Above 42'' - 48'' Vanities



FRAMED MIRROR

Optional











FLEX SERIES 70 CFM BATHROOM EXHAUST FAN WITH LIGHT

2.0 SONES FOR QUIET PERFORMANCE

A70L





BATH FAN

Optional





BROAN® 70 CFM HEATER/VENTILATION FAN/LIGHT
4.0 AUDIBLE SONES FOR PRIVACY
655





BATH FAN

Optional





FLEX SERIES 80 CFM BATHROOM EXHAUST FAN WITH LIGHT
.08 SONES FOR ULTRA QUIET PERFORMANCE
AE80L









BROAN® LoPROFILE™ 80 CFM VENTILATION FAN

1.0 SONES FOR ULTRA QUIET PERFORMANCE

LP80







TUB/SHOWER with Curved Chrome Shower RodStandard



5' TUB/SHOWER WITH 15" APRONMOLDED SOAP LEDGES
RE7901L or RE7901R








TUB/SHOWER with Curved Chrome Shower Rod Standard

Standard AcrylX™ Colors









60" [1524mm] Tub/Shower w/ Molded Soap Ledges

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Reinforced & slip resistant floor.
- Molded soap ledges on back wall,
- Integral 1" [25mm] nailing flange. Available with factory installed 1" [25mm] acrylic towel bar, model number becomes (7901LT or 7901RT)
- Factory drilled 2-1/2" overflow.
- Bathwell Dimensions (At Top): W-51-3/4" [1315mm]

D-21" [533mm]

- H-14-3/4" [375mm] * Bathwell Dimensions (At Bottom): W-44" [1118mm] D-16-3/4" [426mm]
- Door Opening: W-55" [1397mm]

H-55 3/4" [1416mm]

- Bathwell Capacity (At Overflow): 34 gal. [129L]
- Water Level (At Overflow): 10" [279mm]
- All dimensions +/- 1/2" [12.8mm]
- A version with above the floor rough-in (7901LX or 7901RX) is available.
- Clarion Bathware reserves the right to change design and/or dimensions.
- Dimensions are the same for all other versions of this model. 224





GARDEN TUB with Curved Chrome Shower Rod

Optional



5' TUB/SHOWER WITH BOWED FRONTMOLDED SHELVING, CENTER DRAIN

RE7941X (Available with Whirlpool Option)







GARDEN TUB with Curved Chrome Shower Rod

Optional


Standard AcrylX™ Colors







ELEVATION



60" [1524mm] Tub/Shower w/ Bowed Front, Center Drain & Molded Shelving

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Reinforced & slip resistant floor.
- Sufficient drain clearance to accommodate above the floor plumbing.
- Integral 1" [25mm] nailing flange.
- Spacious bathing well with molded arm rests.
- Molded shelving.
- Bathwell Dimensions (At Top): W-53 1/2" [1410mm]

D-30" [679mm]

H-13 1/2" [343mm]

* Bathwell Dimensions (At Bottom): W-48" [1181mm]

D-26" [648mm]

- Bathwell Capacity (At Overflow): 61 Gal [231L]
- Water Level (At Overflow): 10" [254mm] All dimensions +/- 1/2" [12.8mm]
- Clarion Bathware reserves the right to change design and/or dimensions.
- Dimensions are the same for RE, MP, and all other versions of this model.







GARDEN TUB with Curved Chrome Shower Rod with 8-Jet Whirlpool Option

Optional

Standard AcrylX™ Colors





ELEVATION


PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * When installing this whirlpool, an access area should be provided near the location of the whirlpool pump for future access. An access area is required by many local, state & federal building codes.
- Recommended access area dimensions: W-20" [508mm]
 H-15" [381mm]
- * Reinforced & slip resistant floor.
- Sufficient drain clearance to accommodate above the floor plumbing.
- * Integral 1" [25mm] nailing flange.
- * Spacious bathing well with molded arm rests.
- Molded shelving.
- Bathwell Dimensions (At Top): W-53 1/2" [1410mm]

D-30" [679mm]

H-13 1/2" [343mm]

- * Bathwell Dimensions (At Bottom): W-48" [1181mm] D-26" [648mm]
 - Bathwell Capacity (At Overflow): 61 Gal [231L]
- * Water Level (At Overflow): 10" [254mm]
- * The pump will stick out 3" from the rough-in dimensions on 6 jet versions of this product.
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.







LOW-WALL BOWED-FRONT SOAKING TUB

Optional



5' TUB WITH BOWED FRONT, LOW-WALLCENTER DRAIN
RE4641X (Available with Whirlpool Option)








LOW-WALL BOWED-FRONT SOAKING TUB


Optional

Standard AcrylX™ Colors









60" [1524mm] Tub/Shower w/ Bowed Front, Center Drain & Molded Arm Rests

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Reinforced & slip resistant floor.
- * Sufficient drain clearance to accommodate above the floor plumbing.
- * Integral 1" [25mm] nailing flange.
- * Spacious bathing well with molded arm rests.
- * Bathwell Dimensions (At Top): W-53 1/2" [1410mm]

D-30" [679mm]

H-13 1/2" [343mm]

* Bathwell Dimensions (At Bottom): W-48" [1181mm]

D-26" [648mm]

- * Bathwell Capacity (At Overflow): 61 Gal [231L]
- * Water Level (At Overflow): 10" [254mm]
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.







LOW-WALL BOWED-FRONT SOAKING TUB with 8-Jet Whirlpool Option


Optional

Standard AcrylX™ Colors









60" [1524mm] Tub w/Bowed Front, Center Drain , Molded Arm Rests & 8 or 12 Jet Whirlpool Package

PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method
- * When installing this whirlpool, an access area should be provided near the location of the whirlpool pump for future access. An access area is required by many local, state & federal building codes.
- * Recommended access area dimensions: W-20" [508mm] H-15" [381mm]
- * Reinforced & slip resistant floor.
- * Sufficient drain clearance to accommodate above the floor plumbing.
- * Integral 1" [25mm] nailing flange.
- * Spacious bathing well with molded arm rests.
- * Bathwell Dimensions (At Top): W-53 1/2" [1410mm]

D-30" [679mm]

H-13 1/2" [343mm]

Bathwell Dimensions (At Bottom): W-48" [1181mm]

D-26" [648mm]

- * Bathwell Capacity (At Overflow): 61 Gal [231L]
- * Water Level (At Overflow): 10" [254mm]
- * The pump will stick out 3" from the rough-in dimensions on 6 jet versions of this product.
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.





ROMAN TUB

Optional



5' ACRYLIC DROP-IN BATHTUB


MOLDED ARM RESTS
AD566062 (Available with Whirlpool Option)







ROMAN TUB

Optional







PLAN 60" [1524mm] Acrylic Drop-In Bathtub w/ Molded Arm Rests

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Clarion Bathware acrylic products are thermoformed from continuous cast acrylic sheet into a one piece seamless unit.
- A tiling flange kit is available (Model TFK-1).
- Reinforced & slip resistant floor.
- Integral 2" [51mm] rolled edge for drop-in installation. Factory drilled 2 1/2" [64mm] overflow.
- Molded arm rests
- Bathwell Dimensions (At Top): W-49 3/4" [1264mm]

D-42" [610mm]

H-21" [533mm]


- Bathwell Dimensions (At Bottom): W-37 1/2" [953mm] D-24" [610mm]
- Bathwell Capacity (At Overflow): 57 Gallons [215L]
- Water Level (At Overflow): 18" [457mm]
- All dimensions +/- 1/2" [12.8mm]
 - Clarion Bathware reserves the right to change design and/or dimensions.







ROMAN TUB with 8-Jet WHIRLPOOL OPTION

Optional







PLAN 60" [1524mm] Acrylic Drop-In Bathtub w/ Molded Arm Rests

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Clarion Bathware acrylic products are thermoformed from continuous cast acrylic sheet into a one piece seamless unit.
- When installing this whirlpool, an access area should be provided near the location of the whirlpool pump for future access. An access area is required by many local, state & federal building codes.
- Recommended access area dimensions:
- W-20" [508mm] x H-15" [381mm]

 A tiling flange kit is available (Model TFK-1).
- Reinforced & slip resistant floor.
- Integral 2" [51mm] rolled edge for drop-in installation.
- Factory drilled 2 1/2" [64mm] overflow.
- Molded arm rests
- Bathwell Dimensions (At Top): W-49 3/4" [1264mm]

D-42" [610mm] H-21" [533mm]

- Bathwell Dimensions (At Bottom): W-37 1/2" [953mm]
 D-24" [610mm]
- Bathwell Capacity (At Overflow): 57 Gallons [215L]
- Water Level (At Overflow): 18" [457mm]
- All dimensions +/- 1/2" [12.8mm]
- Clarion Bathware reserves the right to change design and/or dimensions.





ROMAN TUB Standard




6' DROP-IN BATHTUBRE4272DS (Available with Whirlpool Option)






ROMAN TUB


Standard





104" [260mm] [533mm] [1067mm] PLAN 72" [1829mm] Drop-in Bathtub

Standard AcrylX™ Colors



PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Reinforced & slip resistant floor.
- * Integral rolled edge for drop-in installation.
- * Bathwell Dimensions (At Top): W-65" [1651mm]

D-34 1/2" [1111mm]

H-21" [533mm]


- * Bathwell Dimensions (At Bottom): W-48 1/2" [1232mm] D-24 1/2" [622mm]
- * Bathwell Capacity (At Overflow): 104 Gal. [394L]
- * Water Level (At Overflow): 16" [406mm]
- * Factory drilled 2 1/2" [64mm] overflow.
- * Spacious bathwell with molded arm rests and lumbar support.
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.






ROMAN TUB with 8-Jet WHIRLPOOL OPTION

Optional






Standard Pump 101 On/Off Control Location [260mm [533mm] Jets for 8 & 10 Jet [1067mm] Systems Additional Suction Jets for 10 Jet Systems 15" [1829mm]

PLAN 72" [1829mm] Drop-in Bathtub w/8 or 10 Jet Whirlpool Package

Standard AcrylX™ Colors



PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * When installing this whirlpool, an access area should be provided near the location of the whirlpool pump for future access. An access area is required by many local, state & federal building codes.
- Recommended access area dimensions: W-20" [508mm]
 H-15" [381mm]
- Reinforced & slip resistant floor.
- * Integral rolled edge for drop-in installation.
- * Factory drilled 2 1/2" [64mm] overflow.
- Spacious bathwell, with molded arm rests and lumbar support.
- * Bathwell Dimensions (At Top): W-65" [1651mm]

D-34 1/2" [1111mm]

H-21" [533mm]

- * Bathwell Dimensions (At Bottom): W-48 1/2" [1232mm] D-24 1/2" [622mm]
- * Bathwell Capacity (At Overflow): 104 Gal. [394L]
- * Water Level (At Overflow): 16" [406mm]
- This unit is available without an overflow (Model RE4272DSM:8 or RE4272DSM:A).
- * The pump positions labeled 2 & 3 are alternate pump locations that are available.
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.





CORNER TUB

Optional




5' ACRYLIC DROP-IN BATHTUBMOLDED ARM RESTS
AD956062 (Available with Whirlpool Option)







CORNER TUB

Optional







w/ Molded Arm Rests

PRODUCT SPECIFICATIONS:


- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Clarion Bathware acrylic products are thermoformed from continuous cast acrylic sheet into a one piece seamless unit.
- A tiling flange kit is available (Model TFK-1).
- Reinforced & slip resistant floor.
- Integral 1 1/2" [38mm] rolled edge for drop-in installation.
- Factory drilled 2 1/2" [64mm] overflow.
- Molded arm rests
 - Bathwell Dimensions (At Top): W-68 1/2" [1740mm]
 D-38 1/2" [978mm]
 H-19" [483mm]
- Bathwell Dimensions (At Bottom): W-53" [1346mm] D-35" [889mm]
- Bathwell Capacity (At Overflow): 85 Gallons [322L]
- Water Level (At Overflow): 14 3/4" [375mm]
- All dimensions +/- 1/2" [12,8mm]
- Clarion Bathware reserves the right to change design and/or dimensions.






CORNER TUB with 8-Jet WHIRLPOOL OPTION

Optional





Molded Arm Rests Alternate Big Jets (2 Pump ocation Standard-(4) Micro Pump Jets for Back Location Big Jets (2) 28 intoly man May in 1613 run Air Control Ø2 in On/Off [Ø50 mm] 2 Jet systems have an additional (2) Micro jets 49% in [1268 mm] on each backrest,

PLAN 60" [1524mm] Acrylic Drop-In Bathtub w/ Molded Arm Rests

PRODUCT SPECIFICATIONS:

- Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- Clarion Bathware acrylic products are thermoformed from continuous cast acrylic sheet into a one piece seamless unit
- When installing this whirlpool, an access area should be provided near the location of the whirlpool pump for future access. An access area is required by many local, state & federal building codes.
- Recommended access area dimensions: W-20" [508mm] x H-15" [381mm]
- A tiling flange kit is available (Model TFK-1).
- Reinforced & slip resistant floor.
- Integral 1 1/2" [38mm] rolled edge for drop-in installation.
- Factory drilled 2 1/2" [64mm] overflow.
- Molded arm rests
- Bathwell Dimensions (At Top): W-68 1/2" [1740mm]

D-38 1/2" [978mm] H-19" [483mm]

Bathwell Dimensions (At Bottom): W-53" [1346mm]

D-35" [889mm]

Bathwell Capacity (At Overflow): 85 Gallons [322L]

Water Level (At Overflow): 14 3/4" [375mm]

All dimensions +/- 1/2" [12.8mm]

Clarion Bathware reserves the right to change design and/or dimensions.





Optional



5' SHOWER WITH 4" THRESHOLD


MOLDED SEAT, CORNER SOAP LEDGES, CENTER DRAIN RE6036LSD/S or RE6036RSD/S with 3500-60-70-OB-SV







Optional

Standard AcrylX™ Colors







PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product complies with FHA & UFAS 4.34.5.5 when structured properly.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Reinforced & slip resistant floor.
- * Integral 1" [25mm] nailing flange.
- * Molded seat approx. 18"W x 22 1/2"D x 18"H (opposite of valve wall).
- * Door Opening: W-56 3/4" [1441mm] H-71" [1803mm]
 - Accepts Clarion Bathware Model #IN60C Dome
- (Adds 6" [152mm] to the overall height of the shower.)
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.

w/ 4" [102mm] Threshold, Molded Seat & Corner Soap Ledges





Optional




4' SHOWER WITH 6" THRESHOLDMOLDED SEAT & SOAP LEDGES, CENTER DRAIN RE5843L/S or RE5843R/S


with 3500-48-68-OB-SV






Optional





48" [1219mm] Shower w/ 6" [154mm] Threshold, Molded Seat

CENTER DRAIN
Left Hand Version (5843L/S) Shown



Standard AcrylX™ Colors



PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Reinforced & slip resistant floor.
- * Integral 1" [25mm] nailing flange.
- * Molded soap ledges.
- Molded seat approx. 14"W x 22 1/2"D x 18"H (opposite of valve wall).
- * Door Opening: W-44" [1118mm]
 - H-68" [1727mm]
- * Accepts Clarion Bathware Model RE948 cap (adds 8 1/2" [216mm] to the overall height of the unit)
- * All dimensions +/- 1/2" [12.8mm]
- * Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.





SEMI-FRAMELESS SHOWER DOORSStandard

CLASSIC SEMI-FRAMELESS

The Classic semi-frameless glass shower doors enhance the look of any bathroom with bypass shower panels free from aluminum framing. One panel includes a pull handle for one edge of the glass and the other panel has a towel bar that wraps around the glass. Chrome with obscure glass is the standard.



Frame Color Selections



CHROME Standard



BRUSHED NICKEL
Optional



OIL-RUBBED BRONZE Optional



BRUSHED GOLD Optional



WROUGHT IRON (BLACK) Optional





SEMI-FRAMELESS SHOWER DOORS

Standard

Obscure Glass

Standard



Clear Glass
Optional



Rain Glass Optional










SEMI-FRAMELESS SHOWER DOORS

Optional







SHOWER with Chrome Hinged Shower Door

Optional




3' SHOWER WITH 6" THRESHOLDMOLDED SOAP LEDGES & FOOT REST,
CENTER DRAIN
RE3636SD






SHOWER with Chrome Hinged Shower Door

Optional






PLAN

36" [914mm] Shower w/ Molded Soap Ledges & Molded Foot Rest

CENTER DRAIN



Standard AcrylX™ Colors



PRODUCT SPECIFICATIONS:

- * Product complies with NAHB, HUD UM-73A, and ANSI-Z124.1.2.
- * Product has a Class B fire rating as determined by ASTM E-84 test method.
- * Does not meet minimum floor space requirements for most codes
- * Does not meet 36" diameter circle requirements for most codes
- * Reinforced & slip resistant floor.
- * Integral 1" [25mm] nailing flange.
- Molded foot rest and soap ledges.

* Door Opening: W-32 3/4" [832mm] H-70 3/4" [1797mm] * Shower Floor: W-32 3/4" [832mm]

D-27 1/4" [692mm]

- * All dimensions +/- 1/2" [12.8mm] All dimensions +/- I/2" [12.8mm]
 Clarion Bathware reserves the right to change design and/or dimensions.
- * Dimensions are the same for RE, MP, and all other versions of this model.





SEMI-FRAMELESS SHOWER DOORS

Optional

CLASSIC SEMI-FRAMELESS

The Classic single panel shower enclosures use innovative engineering to create a suspended glass look to complement sophisticated bath decors. The clear drip vinyl keeps the water in the shower and the 3 inch magnetic handle that wraps the door makes sure the door latches to the unit.



Frame Color Selections



CHROME Standard



BRUSHED NICKEL
Optional



OIL-RUBBED BRONZE Optional



BRUSHED GOLD Optional



WROUGHT IRON (BLACK)
Optional





SEMI-FRAMELESS SHOWER DOORS

Optional

Obscure Glass

Standard



Clear Glass

Optional



Rain Glass

Optional








WALK-IN SHOWER

Optional







WALK-IN-SHOWER / SHOWER PAN FOR TILE

Standard Option




6' SHOWER PAN with TILING FLANGE ALL SIDES, NO THRESHOLDSP7248NT





WALK-IN-SHOWER / SHOWER PAN FOR TILE

Standard Option



4 Tiling Flanges / No Threshold





Standard Option









Optional Stainless Steel









Optional Bronze









Optional Champagne Bronze









Optional Matte Black









WALK-IN SHOWER / MAXIMUS SHOWER TILE 12 X 24

Standard Option

Standard Edging is Aluminum L-Shaped Trim







WALK-IN SHOWER / CLASSICO SHOWER TILE 12 X 24

Standard Option

Standard Edging is Aluminum L-Shaped Trim







WALK-IN SHOWER / VALENTINO SHOWER TILE 8 X 32

Standard Option

Standard Edging is Aluminum L-Shaped Trim







CORNER SHELF for Tiled Showers

Optional















TILE EDGE TRIM

Standard Option







ALTO 1.28 ELONGATED TOILET

Standard











ALTO 1.28 ELONGATED SMARTHEIGHT TOILET

Optional















PEDESTAL SINK

Optional











CHROME BATH ACCESSORIESStandard







SHOWER CURTAIN ROD 5' CURVED

Optional



BRUSHED NICKEL CSR2165BN



OLD WORLD BRONZE CSR2165EOWB



BRUSHED GOLD CSR2160BG



BLACK CSR2160BL



CLASSIC® BATH COLLECTION*

Optional Faucet & Accessories



^{*} Woodhurst® Paper Holder & 18" Towel Bar



WOODHURST® BATH COLLECTION

Optional Faucet & Accessories







WOODHURST® BATH ACCESSORIES

Optional





WOODHURST SATIN NICKEL 73250-SS



73250-RB



LAHARA® BATH COLLECTION

Optional Faucet & Accessories







LAHARA® BATH ACCESSORIES

Optional





LAHARA SATIN NICKEL 73850-SS



LAHARA VENETIAN BRONZE 73850-RB



LAHARA CHAMPAGNE BRONZE 73850-CZ



TRINSIC® BATH COLLECTION

Optional Faucet & Accessories







TRINSIC® BATH ACCESSORIES

Optional









GRAB BARS

Optional





- 18 gauge stainless steel
- Meets 900 lb. downward pull when installed properly
- Meets federal specification WW-P-541/8B, Amendment 1, 16 April 1990
- Meets ANSI 117.1 and all ADA Code requirements
- Meets federal specifications for FHA, VA hospital, private construction





50 GALLON ELECTRIC WATER HEATER

Optional

Professional Classic® electric water heaters are engineered for longer life.

Resistored copper upper element & resistored **Lifeguard™** stainless steel lower element to prolong anode rod and tank life.

Rheemglas® tank lining resists corrosion & prolongs tank life.

EverKleen® self cleaning device fights harmful sediment build-up with a high-velocity spiraling water stream – helps operating efficiency by saving energy, money and improving tank life.









UTILITY TUB SINK

Optional







UTILITY CABINET with DROP-IN SINK

Optional

30" Minimum Base Cabinet







VINYL LAP SIDING .42 Standard

Oak Harbor® Vinyl Siding

makes it easy to create an exterior with a fresh, laid-back style, while increasing a home's value with its durability and beauty. With a palette of numerous colors, deep cedar embossed woodgrain texture, and contemporary low-luster finish, it conforms naturally to the design of any home. Maintenance is minimal, and repainting is unnecessary.



280

Color Selections

SUNNY MAIZE 22



ARTISAN CLAY 61

JAVA 52






WINDOW LINEALS

Optional

HOMEX Siding Accessories

Homex accessories are an industry standard in vinyl siding. Attractive & reliable components for installing vinyl siding. Engineered vinyl provides ruggedness with good color retention.

- Secure, positive locking systems
- Resists dents, hail damage, scratches & fading
- Never needs painting
- Impervious to wood-boring insects, fungus & mildew
- Matte Finish
- Limited Lifetime Warranty



Color Selections



WHITE BIRCH





VINYL LAP SIDING .44

Optional

FairField® Vinyl Siding

With the most diverse selection of rich colors and deep-etched woodgrain patterns, FairField® vinyl siding offers you the highestend styles to express yourself and give your dream home a beautiful new exterior. All FairField® products are made with Style Crest®'s proprietary tri-extrusion technology, which produces some of the highest quality vinyl siding available in the world. It combines the vibrant color of virgin cap stock with the durability of a premium-grade recycled PVCblend core. The result is an exceptionally lowmaintenance, long-lasting and durable choice in exterior home cladding.



Legacy Color Selections



HERITAGE RED 87







CANYON BROWN 81

GRAY FLANNEL 90





SHUTTERS

Optional

Perrenia Shutters color is throughout and will not scratch, peel or fade. Manufactured with maintenance free high-impact polypropylene, they will not crack or dent and are proudly made in the U.S.A.. They are backed with a Limited Lifetime Warranty. They have a deeply etched natural woodgrain texture and come in an extensive color pallet providing options that compliment any taste.

Raised Panel Shutters are 14-1/2" wide and have raised panels. All lengths and widths are nominal, boxed in pairs and include a fastening system of: 12 each 3" screws, 12 each color matched SnapCaps_{TM} and 12 each color matched shutter spikes. Available in 35, 39, 47, 55, 59, 63, 67 inches long.

Color Selections





Shown in Berry

LANDMARK*



SHINGLESStandard

- Dual-Layout Durability
 Industry Best Lifetime Limited Warranty
- 10-Year STREAKFighter® Algae-Resistance Warranty









LANDMARK*




SHINGLESStandard



The ultimate in stain protection.

Those streaks you see on other roofs in your neighborhood? That's algae, and it's a common eyesore on roofing throughout North America. CertainTeed's StreakFighter technology uses the power of science to repel algae before it can take hold and spread. StreakFighter's granular blend includes naturally algae-resistant copper, helping your roof maintain its curb appeal and look beautiful for years to come.



LANDMARK°



SHINGLESStandard

NAILTRAK Shingle Technology

The bond that holds it together.

For more than a decade, NailTrak has improved shingle installation by providing a nailing area three times wider than that of a typical laminate shingle. This increases efficiency and accuracy in installation, providing homeowners greater peace of mind. Landmark® shingles also feature our specially-formulated Quadra-Bond® adhesive, providing industry-leading resistance to delamination. Together, our NailTrak and Quadra-Bond technologies deliver the strength and durability that allow your roof to stand the test of time.



Diagram for illustrative purposes only.



EXTERIOR LIGHTSStandard

BULBS NOT INCLUDED



DEVENS
POWDER COATED BRONZE
2651PBZ 6.5"W X 16"H



DEVENS
POWDER COATED BLACK
2651PBK 6.5"W X 16"H



EXTERIOR LIGHTS

Optional

BULBS NOT INCLUDED



POWDER COATED BRONZE 2512PBZ 9"W X 10"H



POWDER COATED BLACK 2512PBK 9"W X 10"H



POWDER COATED BRONZE 2661PBZ 7.5"W X 8"H



POWDER COATED BLACK 2661PBK 7.5"W X 8"H



BARKELEY POWDER COATED BRONZE 2601PBZ 6"W X 16"H



BARKELEY POWDER COATED BLACK 2601PBK 6"W X 16"H





VINYL SHAKES IN GABLES

Optional

NOVIKSHAKE RS8

The Rough Sawn 8' Shake panel is the most popular of the NovikShake family. Its authentic detail provides a lasting, traditional look to any structure. The NovikShake RS8 is a single course 8' panel, with features that simplify installation and authentic details that provide a lasting traditional look to any structure.

- Generates less waste on side walls and gables
- Lightweight yet rigid material
- Installs with traditional tools
- No painting, staining or caulking required
- Impervious to moisture will not rot



Premium Color Selections



CEDAR BLEND



TRADITIONAL BLEND



WEATHERED BLEND





VINYL SHAKES IN GABLES

Optional


Color Selections





DORMERS

Optional



Not Available with Shutters



DORMERS

Optional



Style J1

Inside Width 6'-10"

Shown with Optional Grilles (4)



Style J2

Inside Width 6'-10"

Shown with Optional Grilles (2)

& Optional Shutters (2)




DORMERS


Optional

Rear Shed Dormer Shown on Berkshire Upstairs Floor



Available on Other Select Plans





























FORMICA























Yorktown

SILESTONE

THE ORIGINAL QUARTZ

CLOSETMAID®









Millennium Lighting™





















MOEN'

















Chillicothe Model Center 6473 US Route 23 Chillicothe, Ohio 45601

740-663-4800

Jackson Model Center

91 State Route 327 Jackson, Ohio 45640

740-288-9995





Henderson Model Center 6167 Kanawha Valley Road Henderson, WV 25106

304-675-4424

www.dw-homes.com